

[← back](#)

## lan\_hostnames.txt

# On the cgi-bin/mesh pages, the Nodes are in a different section / column than the LAN Host Names. However, in the cgi-bin/sysinfo.json?link\_info=1&&hosts=1 pages, they are all together under {"hosts":[{"name": }]} The following list contains known LAN Hosts to be excluded from the download since they don't have json pages.

AccessPi  
ADSB  
AREDN-Workstation  
Battery  
BelcherBattery  
BridgePi  
Camera1  
client1  
client2  
client3  
client4  
client5  
ddclient99  
ff-12904  
Galaxy-Tab-S3  
GS108-pe  
hotspot1  
IP-Phone-104  
IP-Phone-108  
linux78  
macos160  
master  
Mesh-Mail  
n2mh-aprs2  
n2mh-hub  
n2mh-jnos2  
n2mh-mailhub  
n2mh-meshphone2  
n2mh-piaware2  
n2mh-raspbx  
n2mh-voip2  
n2mh-web  
NB4VE6CV  
pbxserver  
Pi4  
piaw2

```
piaware
PiWxRx
PiWxRx-VE6CV
raspberrypi2
sip6005
ssdpi
Telemetry
Telemetry2
tiktok
ubnt
VA6CTV-Switch
va6edn-ev1
va6edn-server
va6hrh
VA7ASI-PHONE
VA7BCE-PostOffice
VA7BCE-RMS-GATE
VA7DXH-CABIN-PHONE
VA7DXX-PHONE
VA7FI-Linux
VA7FI-PHONE
VA7GFD-8
VA7GFD-PHONE
VA7MPG-PHONE
va7nic-wl-p2p
VA7PAM-ER-X
VA7PF-8
VA7PF-PHONE
VA7TUF-PHONE
VA7TUF-PHONE
VA7WPM-PHONE
VA7WTB-PHONE
VE6CQM-PiRpt
VE6CQM-PiRptcd
VE6MB-MMDVM
VE6MB-raspi
VE6MB-VOIP
ve6vh-pbx
VE7BEF-PHONE
VE7KGV-8
VE7KGV-PHONE
VE7K0D-desktop
VE7K0D-PHONE
VE7K0D-Server
VE7K0D-server
VE7K0D-server2
VE7K0D-VoIP
VE7KU-LoRa
```

```
VE7LSE - AREDN - PBX
VE7LSE - PHONE
VE7NZ - PC
VE7ODG - PBXSRV
VE7PTN - PHONE - 1
VE7RQX - Phone - 2245
VE7URC - ER - X
VE7URC1
Web-Server
websvr
WL2K
yvr1-ddclient6
yvr1-linux78
yvr1-macos160
yvr1-spa525g2b
yvr1-winham26
```

```
# Temporarily Excluded:
```

From:

<https://wcaredn.ca/> - **West Coast  
AREDN**

Permanent link:

[https://wcaredn.ca/setups/topology/python/lan\\_hostnames](https://wcaredn.ca/setups/topology/python/lan_hostnames)

Last update: **2023/11/21 21:20**

