

Editing Mode

- In order to edit this site, you must first [Log In](#).
- After that, the “pen icon” will appear on the right, which allows you to edit the entire page.
- Alternatively, each section will have an [Edit](#) button that allows you to edit only that section.

Formatting Syntax

[DokuWiki](#) supports some simple markup language, which tries to make the datafiles as readable as possible. This page contains all possible syntax you may use when editing the pages. Simply have a look at the source of this page by pressing “Edit this page”. If you want to try something, just use the [playground](#) page. The simpler markup is easily accessible via [quickbuttons](#), too:



Basic Text Formatting

By default, DokuWiki supports:

bold

italic

underlined

monospaced

~~deleted~~

~~**any combination**~~

Some^{superscript} and_{subscript}

```

bold
//italic//
underlined
' 'monospaced' '
<del>deleted</del>
<del>_any combination_</del>
Some<sup>superscript</sup> and<sub>subscript</sub>

```

Extra plugins were also installed to that enable the use of:

colors

Serif

Sans-serif

really small to

really big

```
<fc #800080>colors</fc>
<ff serif>Serif</ff>
<ff sans-serif>Sans-serif</ff>
<fs xx-small>really small</fs>
<fs xx-large>really big</fs>
```

And a lot more using the [Wrap plugging](#)

Paragraphs are created from blank lines. If you want to **force a newline** without a paragraph, you can use `\\` followed by a whitespace or the end of line:

Same line

New paragraph

New line

New paragraph

New line

```
Same
line
```

```
New paragraph \\
New line
```

```
New paragraph \\ New line
```

The poem plugin can also be used to break multiple lines without using `\\` at the end of each line:

Roses are red,
violets are blue,
these jokes are getting old,
and so are you.

```
<poem>
Roses are red,
violets are blue,
these jokes are getting old,
and so are you.
```

```
</poem>
```

Links

DokuWiki supports multiple ways of creating links.

External

External links are recognized automatically:

<https://www.google.com>
This Link points to google
andi@splitbrain.org
andi@splitbrain.org

```
https://www.google.com  
[[https://www.google.com|This Link points to google]]  
<andi@splitbrain.org>  
[[andi@splitbrain.org]]
```

Internal

Internal links are created by using square brackets like this:

[newpage](#)

```
[[ ./newpage/ ]]
```

- The trailing / at the end will create a folder (or namespace) called “newpage” and put a “home” page in it. The advantage of creating a folder for every new page is that pictures and files will automatically be organized in those folders.
- The ./ at the beginning will create the folder in the current namespace (in this case: in /wikisyntax/)

To name a link, use a | like this:

[New Page Name](#)
[This Page](#)
[This Section](#)

```
[[./newpage/ |New Page Name]]  
[[./home |This Page]]  
[[./home#internal |This Section]]
```

- When the link is red (like those above), it means that the page doesn't exist yet. To create it, simply click on the link to navigate to the new page.
- When a link exist, it's green.
- To link to a specific section within a page, use #

Interwiki

DokuWiki supports Interwiki links, which are quick links to other wikis:

-  [Interwiki](#) page on Dokuwiki
-  [Amateur_radio](#) page on Wikipedia

```
[[doku>Interwiki |Interwiki]]  
[[wp>Amateur_radio]]
```

Footnotes

You can add footnotes¹⁾ by using double parentheses.

```
You can add footnotes((This is a footnote)).
```

Sectioning

You can use up to five different levels of headlines to structure your content. If you have more than three headlines, a table of contents is generated automatically – this can be disabled by including the string `~~NOTOC~~` in the document.

Headline Level 3

Headline Level 4

Headline Level 5

```
==== Headline Level 3 ====  
=== Headline Level 4 ===
```


== **Headline Level 5** ==

By using four or more dashes, you can make a horizontal line:



Media Files

You can include external and internal  [images, videos and audio files](#) with curly brackets. Optionally you can specify the size of them.



Real size:



Resize to given width:

Resize to given width and height²⁾:



Resized external image:



```

Real size:
{{dokuwiki-128.png}}
Resize to given width:
{{dokuwiki-128.png?50}}
Resize to given width and height:
{{dokuwiki-128.png?200x50}}
Resized external image:
{{https://php.net/images/php.gif?200x50}}

```

By using left or right white spaces you can choose the alignment.





```
{{ dokuwiki-128.png}}  
{{dokuwiki-128.png }}  
{{ dokuwiki-128.png  }}
```

Of course, you can add a title (displayed as a tooltip by most browsers), too.



```
{{dokuwiki-128.png|This is the caption}}
```

Image Links

You can also use an image to link to another internal or external page by combining the syntax for links and images like this:



```
[[https://php.net|{{dokuwiki-128.png}}]]
```

Please note: The image formatting is the only formatting syntax accepted in link names.

Supported Media Formats

DokuWiki can embed the following media formats directly.

Image	gif, jpg, png
Video	webm, ogv, mp4
Audio	ogg, mp3, wav
Flash	swf

If you specify a filename that is not a supported media format, then it will be displayed as a link instead.

By adding `?linkonly` you provide a link to the media without displaying it inlin:


[dokuwiki-128.png](#)

```
{{dokuwiki-128.png?linkonly}}
```

Youtube Videos

Youtube videos can be embedded using the last part of the URL. For example,

- to embed this video: <https://www.youtube.com/watch?v=SQIFJe3rmZ0>
- use this syntax: `{{ youtube>SQIFJe3rmZ0 }}`



Fallback Formats

Unfortunately not all browsers understand all video and audio formats. To mitigate the problem, you can upload your file in different formats for maximum browser compatibility.

For example consider this embedded mp4 video:

```
{{video.mp4|A funny video}}
```

When you upload a `video.webm` and `video.ogv` next to the referenced `video.mp4`, DokuWiki will automatically add them as alternatives so that one of the three files is understood by your browser.

Additionally DokuWiki supports a “poster” image which will be shown before the video has started. That image needs to have the same filename as the video and be either a `jpg` or `png` file. In the example above a `video.jpg` file would work.

Lists

Dokuwiki supports ordered and unordered lists. To create a list item, indent your text by two spaces and use a `*` for unordered lists or a `-` for ordered ones.

- This is a list
 - The second item
 - You may have different levels
 - Another item
1. The same list but ordered
 2. Another item
 1. Just use indentation for deeper levels
 3. That's it

```
* This is a list
* The second item
  * You may have different levels
* Another item

- The same list but ordered
- Another item
  - Just use indentation for deeper levels
- That's it
```

Also take a look at the [FAQ on list items](#).

Text Conversions

DokuWiki can convert certain pre-defined characters or strings into images or other text or HTML.

The text to image conversion is mainly done for smileys. And the text to HTML conversion is used for typography replacements, but can be configured to use other HTML as well.

Text to Image Conversions

DokuWiki converts commonly used  emoticons to their graphical equivalents. Those  Smileys and other images can be configured and extended. Here is an overview of Smileys included in Doku

-  8-)
-  8-0
-  :- (
-  :-)
-  =)
-  :- /
-  :- \
-  :- ?
-  :- D
-  :- P
-  :- 0
-  :- X
-  :- |
-  ;-)

- 😄 ^ _ ^
- ❓ :?:
- ! :!:
- 🤔 LOL
-  FIXME
-  DELETEME

Text to HTML Conversions

Typography: Dokuwiki can convert simple text characters to their typographically correct entities. Here is an example of recognized characters.

→ ← ↔ ⇒ ⇐ ⇔ » « — 640×480 © ™ ®

-> <- <-> => <=> <=> >> << -- --- 640x480 (c) (tm) (r)

The same can be done to produce any kind of HTML, it just needs to be added to the [pattern file](#).

There are three exceptions which do not come from that pattern file: multiplication entity (640×480), 'single' and "double quotes". They can be turned off through a [config option](#).

Quoting

Some times you want to mark some text to show it's a reply or comment. You can use the following syntax:

I think we should do it

```

| No we shouldn't
| | Well, I say we should
| Really?
| | Yes!

```

Then lets do it!

```
I think we should do it
> No we shouldn't
>> Well, I say we should
> Really?
>> Yes!
>>> Then lets do it!
```

There's also a plugin installed that allows the use of inline or block quotes:

This is an *inline quote*.

This is a block quote.

```
This is an <quote>inline quote.</quote>
<QUOTE>This is a block quote.</QUOTE>
```

Tables

DokuWiki supports a simple syntax to create tables.

Heading 1	Heading 2	Heading 3
Row 1 Col 1	Row 1 Col 2	Row 1 Col 3
Row 2 Col 1	some colspan (note the double pipe)	
Row 3 Col 1	Row 3 Col 2	Row 3 Col 3

Table rows have to start and end with a | for normal rows or a ^ for headers.

```
^ Heading 1      ^ Heading 2      ^ Heading 3      ^
| Row 1 Col 1    | Row 1 Col 2    | Row 1 Col 3    |
| Row 2 Col 1    | some colspan (note the double pipe) ||
| Row 3 Col 1    | Row 3 Col 2    | Row 3 Col 3    |
```

To connect cells horizontally, just make the next cell completely empty as shown above. Be sure to have always the same amount of cell separators!

Vertical tableheaders are possible, too.

	Heading 1	Heading 2
Heading 3	Row 1 Col 2	Row 1 Col 3
Heading 4	no colspan this time	
Heading 5	Row 2 Col 2	Row 2 Col 3

As you can see, it's the cell separator before a cell which decides about the formatting:

```
|           ^ Heading 1           ^ Heading 2           ^
^ Heading 3 | Row 1 Col 2           | Row 1 Col 3           |
^ Heading 4 | no colspan this time |                       |
^ Heading 5 | Row 2 Col 2           | Row 2 Col 3           |
```

You can have rowspans (vertically connected cells) by adding ::: into the cells below the one to which they should connect.

Heading 1	Heading 2	Heading 3
Row 1 Col 1		Row 1 Col 3
Row 2 Col 1	this cell spans vertically	Row 2 Col 3
Row 3 Col 1		Row 2 Col 3

Apart from the rowspan syntax those cells should not contain anything else.

```
^ Heading 1     ^ Heading 2           ^ Heading 3           ^
| Row 1 Col 1   | this cell spans vertically | Row 1 Col 3           |
| Row 2 Col 1   | :::                          | Row 2 Col 3           |
| Row 3 Col 1   | :::                          | Row 2 Col 3           |
```

You can align the table contents, too. Just add at least two whitespaces at the opposite end of your text: Add two spaces on the left to align right, two spaces on the right to align left and two spaces at least at both ends for centered text.

Table with alignment		
right	center	left
left	right	center
xxxxxxxxxxxxxx	xxxxxxxxxxxxxx	xxxxxxxxxxxxxx

This is how it looks in the source:

```
^           Table with alignment           ^^^
|           right|   center   |left       |
|left       |           right|   center   |
```

```
| xxxxxxxxxxxxxx | xxxxxxxxxxxxxx | xxxxxxxxxxxxxx |
```

Note: Vertical alignment is not supported.

The [tablewidth plugin](#) allows the customization of the width of the table:

10px	10em	50%	the rest
------	------	-----	----------

```
<table border="1" style="width: 100%; border-collapse: collapse;">
  <tr>
    <td style="width: 10px;">10px
    <td style="width: 10em;">10em
    <td style="width: 50%;">50%
    <td style="width: 40%;">the rest
  </tr>
</table>
```

No Formatting

If you need to display text exactly like it is typed (without any formatting), enclose the area either with `<nowiki>` tags or even simpler, with double percent signs `%%`.

This is some text which contains addresses like this: <https://www.splitbrain.org> and **formatting**, but nothing is done with it. The same is true for `//__this__ text//` with a smiley ;-).

```
<nowiki>
This is some text which contains addresses like this:
https://www.splitbrain.org and
formatting, but nothing is done with it.
</nowiki>
The same is true for %%//__this__ text// with a smiley ;-)%%.
```

Code Blocks

You can include code blocks into your documents by either indenting them by at least two spaces (like used for the previous examples) or by using the tags `<code>` or `<file>`.

```
This is text is indented by two spaces.
```

```
  This is text is indented by two spaces.
```

```
This is preformatted code all spaces are preserved:
like          <-this
```

```
<code>
This is preformatted code all spaces are preserved:
like          <-this
```

```
</code>
```

This is pretty much the same, but you could use it to show that you quoted a file.

```
<file>
```

This is pretty much the same, but you could use it to show that you quoted a file.

```
</file>
```

Syntax Highlighting

Dokuwiki can highlight sourcecode, which makes it easier to read. It uses the [GeSHi](#) Generic Syntax Highlighter - so any language supported by GeSHi is supported. The syntax uses the same code and file blocks described in the previous section, but this time the name of the language syntax to be highlighted is included inside the tag, e.g. `<code java>` or `<file java>`.

```
/**
 * The HelloWorldApp class implements an application that
 * simply displays "Hello World!" to the standard output.
 */
class HelloWorldApp {
    public static void main(String[] args) {
        System.out.println("Hello World!"); //Display the string.
    }
}
```

```
<code java>
/**
 * The HelloWorldApp class implements an application that
 * simply displays "Hello World!" to the standard output.
 */
class HelloWorldApp {
    public static void main(String[] args) {
        System.out.println("Hello World!"); //Display the string.
    }
}
</code>
```

You can also add the file name, which allows easy download of the file:

[./dir/filename.sh](#)

```
echo "hello world"
```

```
<file bash ./dir/filename.sh>  
echo "hello world"  
</file>
```

The following language strings are currently recognized:

```
4cs  
6502acme  
6502kickass  
6502tasm  
68000devpac  
abap  
actionscript3  
actionscript  
ada  
aimms  
algol68  
apache  
applescript  
apt_sources  
arm  
asm  
asp  
asymptote  
autoconf  
autohotkey  
autoit  
avisynth  
awk  
bascomavr  
bash  
basic4gl  
batch  
bf  
biblatex  
bibtex  
blitzbasic  
bnf  
boo  
caddcl  
cadlisp  
ceylon  
cfdg
```

cfm
chaiscript
chapel
cil
c_loadrunner
clojure
c_mac
cmake
cobol
coffeescript
c
cpp
cpp-qt
cpp-winapi
csharp
css
cuesheet
c_winapi
dart
dcl
dcpu16
dcs
delphi
diff
div
dos
dot
d
ecmascript
eiffel
email
epc
e
erlang
euphoria
ezt
f1
falcon
fo
fortran
freebasic
freeswitch
fsharp
gambas
gdb
genero
genie
gettext

gls1
gml
gnuplot
go
groovy
gwbasic
haskell
haxe
higest
hq9plus
html
html4strict
html5
icon
idl
ini
inno
intercal
io
isfppanel
java5
java
javascript
jcl
j
jquery
julia
kixtart
klonec
klonecpp
kotlin
latex
lb
ldif
lisp
llvm
locobasic
logtalk
lolcode
lotusformulas
lotusscript
lscript
lsl2
lua
m68k
magiksf
make

mapbasic
mathematica
matlab
mercury
metapost
mirc
mk-61
mmix
modula2
modula3
mpasm
mxml
mysql
nagios
netrexx
newlisp
nginx
nimrod
nsis
oberon2
objc
objectk
ocaml-brief
ocaml
octave
oobas
oorexx
oracle11
oracle8
oxygene
oz
parasail
parigp
pascal
pcre
perl6
perl
per
pf
phix
php-brief
php
pic16
pike
pixelbender
pli
plsqli
postgresql

postscript
povray
powerbuilder
powershell
proftpd
progress
prolog
properties
providex
purebasic
pycon
pys60
python
qbasic
qml
q
racket
rails
rbs
rebol
reg
rexx
robots
rpmspec
rsplus
ruby
rust
sas
sass
scala
scheme
scilab
scl
sdlbasic
smalltalk
smarty
spark
sparql
sql
standardml
stonescript
swift
systemverilog
tclegg
tcl
teraterm
texgraph

```
text
thinbasic
tsql
twig
typoscript
unicon
upc
urbi
uscript
vala
vbnet
vb
vbscript
vedit
verilog
vhdl
vim
visualfoxpro
visualprolog
whitespace
whois
winbatch
xbasic
xml
xojo
xorg_conf
xpp
yaml
z80
zxbasic
```

There are additional [advanced options](#) available for syntax highlighting, such as highlighting lines or adding line numbers.

Embedding HTML and PHP

You can embed raw HTML or PHP code into your documents by using the `<html>` tag. (Use uppercase tags if you need to enclose block level elements.)

HTML example:

This is some **inline HTML**

And this is some block HTML

```
<html>
This is some <span style="color:red;font-size:150%;">inline HTML</span>
</html>
<HTML>
<p style="border:2px dashed red;">And this is some block HTML</p>
</HTML>
```

PHP example:

RSS/ATOM Feed Aggregation

Dokuwiki can integrate data from external XML feeds. For parsing the XML feeds, [SimplePie](#) is used. All formats understood by SimplePie can be used in DokuWiki as well. You can influence the rendering by multiple additional space separated parameters:

Parameter	Description
any number	will be used as maximum number items to show, defaults to 8
reverse	display the last items in the feed first
author	show item authors names
date	show item dates
description	show the item description. If HTML is disabled all tags will be stripped
nosort	do not sort the items in the feed
n[dhm]	refresh period, where d=days, h=hours, m=minutes. (e.g. 12h = 12 hours).

The refresh period defaults to 4 hours. Any value below 10 minutes will be treated as 10 minutes. DokuWiki will generally try to supply a cached version of a page, obviously this is inappropriate when the page contains dynamic external content. The parameter tells DokuWiki to re-render the page if it is more than *refresh period* since the page was last rendered.

By default the feed will be sorted by date, newest items first. You can sort it by oldest first using the *reverse* parameter, or display the feed as is with *nosort*.

Example:

```
{ {rss>https://slashdot.org/index.rss 5 author date 1h } }
```

- [Two Hot Climate Tech Startups Just Raised \\$1 Billion+ in IPOs](#) by EditorDavid (2026/04/27 00:34)
- [Right-to-Repair Laws Gain Political Momentum Across America](#) by EditorDavid (2026/04/26 20:34)
- [Bank Robber Challenges Conviction Based on His Cellphone's Location Data](#) by EditorDavid (2026/04/26 18:14)
- [Google Studies Prompt Injection Attacks Against AI Agents Browsing the Web](#) by EditorDavid

(2026/04/26 16:48)

- [Elon Musk Vies to Turn X Into Super App With Banking Tool Near Launch](#) by EditorDavid (2026/04/26 14:59)


Control Macros

Some syntax influences how DokuWiki renders a page without creating any output it self. The following control macros are available:

Macro	Description
~~NOTOC~~	If this macro is found on the page, no table of contents will be created
~~NOCACHE~~	DokuWiki caches all output by default. Sometimes this might not be wanted, adding this macro will force DokuWiki to re-render a page on every call

Wrap Plugin Examples

The Wrap plugin has some of its most commonly used wraps in the tool bar:



More info [here](#)

Columns

<WRAP half column>

This is text in the left column.

<WRAP half column>

This is text in the right column.

Alignment

<WRAP rightalign>

All this text is aligned to the right.

<WRAP centeralign>

All this text is aligned in the centre.













<WRAP leftalign>

This text is aligned to the left as per usual.

<WRAP justify>

This text is justified, which means that the lines are stretched so that they all end at the end.

Boxes



Also note that the width can be set as: %, px, em, rem, ex, ch, vw, vh, pt, pc, cm, mm, in

<WRAP prewrap 80%> is not technically

a box, but it acts like one.

Misc

For embedded text, use wrap in lower case:

- `<wrap tip>`
- `<wrap mark hi>`
- `<wrap mark lo>`
- `<wrap mark em>`
- `<wrap box 80%>`
- `<wrap indent>`
- `<wrap outdent>`
- `<wrap button>[[link]]wrap`

Test

test

`<WRAP box 80%>`

A Heading

So here's a sample wrap containing what I hope to eventually be a nicely formatted, visually appealing bit of content.

LaTeX

\LaTeX (pronounced lay-tek or lah-tek, but never lay-teks) is the standard method for laying out scientific and mathematical manuscripts. According to [Wikipedia](#):

\LaTeX is most widely used by mathematicians, scientists, engineers, philosophers, scholars in academia and the commercial world, and other professionals [...] because of the high quality of typesetting achievable [which] offers programmable desktop publishing features and extensive facilities for automating most aspects of typesetting and desktop publishing, including numbering and cross-referencing, tables and figures, page layout and bibliographies. It was originally written in the early 1980s by Leslie Lamport at SRI International.

Here is how to call the \LaTeX package in this wiki:

- Inline expressions are sandwiched between two $\$$ and
- block expressions are sandwiched between two $\$\$$.

This is inline: $\$ \frac{d}{dx}f(x) \triangleq \lim_{\Delta x \rightarrow 0} \frac{f(x+\Delta x) - f(x)}{\Delta x} \$$

This is block: $\$\$ \frac{d}{dx}f(x) \triangleq \lim_{\Delta x \rightarrow 0} \frac{f(x+\Delta x) - f(x)}{\Delta x} \$\$$

This is inline:

```
\$ \frac{d}{dx}f(x) \triangleq \lim_{\Delta x \rightarrow 0} \frac{f(x+\Delta x) - f(x)}{\Delta x} \$
```

This is block:

```
\$\$ \frac{d}{dx}f(x) \triangleq \lim_{\Delta x \rightarrow 0} \frac{f(x+\Delta x) - f(x)}{\Delta x} \$\$
```

For more information on how to use \LaTeX , download [lshort.pdf](#).

Syntax Plugins

DokuWiki's syntax can be extended by [Plugins](#). How the installed plugins are used is described on their appropriate description pages. The following syntax plugins are available in this particular DokuWiki installation:

- [Blockquote Plugin 2020-09-27](#) by [Anika Henke](#) (previous author: [Gina Haeussge](#))
Write quotations in a semantically correct way
- [Changes Plugin 2023-12-14](#) by [Andreas Gohr](#)
List the most recent changes of the wiki
- [comment 2023-08-18](#) by [Gina Häußge](#), [Michael Klier](#)
Add comments/notes to your wiki source that won't be shown on the page.
- [config:htmllok Plugin 2023-07-12](#) by [Luis Machuca Bezzaza](#)
Enables raw HTML like the old 'config:htmllok' behaviour.
- [Structured Data Plugin 2024-01-30](#) by [Andreas Gohr](#)
Add and query structured data in your wiki
- [date plugin 2016-08-28](#) by [Marcel Pietschmann](#)
Wrapper about the php command strftime and date
- [Diagrams plugin 2025-10-15](#) by [Innovakom + CosmoCode](#)
Embed diagrams.net editor (formerly draw.io)
- [discussion plugin 2025-07-04](#) by [Michael Hamann](#), [Gerrit Uitslag](#), [Gina Häussge](#), [Christopher Smith](#),

[Michael Klier, Esther Brunner, Matthias Schulte](#)

Provides discussion functionality for wiki pages

- [Dw2Pdf plugin 2023-11-25](#) by [Andreas Gohr and Luigi Micco](#)
DokuWiki to PDF converter
- [hidden Plugin 2023-11-07](#) by [Guillaume Turri](#)
Enable to hide/show details
- [Plugin imagebox 2023-08-21](#) by [Lukas Rademacher, CvH, Dr-Yukon, FFTiger & myst6re](#)
Syntax for display an image with a caption, like Wikipedia.org
- [Info Plugin 2020-06-04](#) by [Andreas Gohr](#)
Displays information about various DokuWiki internals
- [keyboard 2023-02-23](#) by [Gina Häußge](#)
The keyboard plugin provides a combined syntax and action plugin in order to markup text as keyboard keys, similar to (and making use of) the existing (X)HTML tag `<kbd>...</kbd>`. A quick button for the markup is automatically inserted into the toolbar of the edit form.
- [Lastmod Plugin 2016-02-03](#) by [Dennis Ploeger](#)
Displays the timestamp of the last modification of the current or another page.
- [MathJax plugin 2021-11-20](#) by [Mark Liffiton](#)
Enables MathJax (<https://www.mathjax.org/>) parsing of TeX math expressions in wiki pages
- [Pagebreak plugin 2016-02-16](#) by [Jonathan McBride and Chris Sturm](#)
Inserts " `<br style="page-break-after:always;">` " into the html of the document for every `<pagebreak>` it encounters
- [Pagelist Plugin 2023-08-27](#) by [Matthias Schulte, Michael Hamann, Michael Klier, Gina Haeussge](#)
Lists pages in a nice formatted way
- [PDF.js 2020-06-29](#) by [Szymon Olewniczak](#)
Show pdf files using PDF.js
- [Poem 2012-07-06](#) by [Danny Lin](#)
`<poem>` tag that embeds a block with linebreaks preserved.
- [sortablejs 2025-12-09](#) by [vaxquis](#)
Allow sorting tables by columns
- [Table Width Plugin 2022-08-09](#) by [Mykola Ostrovskyy](#)
Allows to specify width of table columns.
- [Typography plugin 2020-07-31](#) by [Satoshi Sahara](#)
Enable typesetting capabilities with CSS font properties such as font face, size, weight, and color of text
- [Video Sharing Site Plugin 2025-12-10](#) by [Andreas Gohr](#)
Easily embed videos from various Video Sharing sites. Example: `{{youtube>XXXXXX}}`
- [Wrap Plugin 2023-08-13](#) by [Anika Henke](#)
Universal plugin which combines functionalities of many other plugins. Wrap wiki text inside containers (divs or spans) and give them a class (choose from a variety of preset classes), a width and/or a language with its associated text direction.
- [Simple universal list plugin 2023-06-30](#) by [Mark C. Prins, previously Ben Slusky](#)
Extend DokuWiki list syntax to allow definition list and multiple paragraphs in a list entry

1)

This is a footnote

2)

when the aspect ratio of the given width and height doesn't match that of the image, it will be cropped to the new ratio before resizing

From:

<https://wcairedn.ca/> - **West Coast
AREDN**

Permanent link:

<https://wcairedn.ca/wikisyntax/home>

Last update: **2024/08/03 09:08**

